



Finger Weeder Assembly AW-9003

Go to www.tilmor.com/resources for complete parts list, additional resources and replacement part ordering.

Release Date: 01/06/2021
Document Number: 12-70038
Revision Number: 03

ATTENTION
Review safety information before operation.

Tools
1/2" Socket 9/16" Socket Drive Extension Torque Wrench

Installation Time (estimated) 15 minutes

REQUIRED PARTS

4x
Bolt, Carriage
5/16" x 1-1/4"
97-0512

2x
Bolt, Carriage
3/8" x 1-1/4"
97-0610

2x
Bolt, Carriage
3/8" x 2-1/4"
97-0618

4x
Nut, Locking
Flange 5/16"
99-E0102

2x
Nut, Locking
Flange 3/8"
99-E0082

1x
Hub Assembly

1x
13" Drive Plate
AW-1332

OR

1x
15" Drive Plate
AW-1330

OR

1x
Plate, Stiffener
AW-1340

1x
Finger, Medium 13"
AW-3011

OR


1x
Finger, Hard 13"
AW-3013

OR


1x
Finger, Hard 15"
AW-3122

13" FINGER WEEDER ASSEMBLY


 1/2" Socket, Drive Extension, Torque Wrench




4x
Bolt, Carriage
5/16" x 1-1/4"
97-0512




8x
Nut, Locking
Flange 5/16"
99-E0102



1x
Hub Assembly




1x
Drive Plate
AW-1332






1x
Finger, Medium 13"
(Yellow)
AW-3011

OR




1x
Finger, Hard 13"
(Orange)
AW-3013




15" FINGER WEEDER ASSEMBLY


 1/2" Socket, Drive Extension, Torque Wrench




4x
Bolt, Carriage
5/16" x 1-1/4"
97-0512




8x
Nut, Locking
Flange 5/16"
99-E0102




1x
Hub Assembly






1x
Drive Plate
AW-1330



1x
Finger, Hard 15"
AW-3122




1x
Plate, Stiffener
AW-1340




INSTALLATION ON FLAT SHANK


 9/16" Socket, Torque Wrench



2x
Bolt, Carriage
3/8" x 1-1/4"
97-0610




2x
Nut, Locking
Flange 3/8"
99-E0082




INSTALLATION ON MODBAR



 9/16" Socket, Torque Wrench



2x
Bolt, Carriage
3/8" x 2-1/4"
97-0618



2x
Nut, Locking
Flange 3/8"
99-E0082



31 ft-lbs (42 Nm)