



#### **GARDEN EASIER**

High quality tools for easier soil prep, planting, weeding and harvest.



#### **GROW SUSTAINABLY**

Simple, innovative equipment designed to maximize efficiency to support the next generation of farmers.



#### **CONNECT COMMUNITY**

Tilmor solutions and resources will assist you in growing healthy food for your family and community.





· Change between cultivation and hilling attachments with a pull of a pin. There are 8 available walk behind packages and you can create your own.

· Balanced and light-weight for optimal maneuverability and control. Easily adjust handle bar height so that

#### **DESIGNED FOR CULTIVATION**

• High clearance and precise tool tracking make this the ideal two wheel tractor for cultivation.



# **ENGINE**

Honda GX120

GROUND CLEARANCE

13.5 Inches

## WHEEL ADJUSTMENTS

3 Tire Width Settings

16 - 24 Inches (center-to-center)



USA 1.844.255.5864 | CAN 1.905.359.2210 | TILMOR.COM

# **POWER OX 240 PACKAGES**













Tine weeders are a very effective blind cultivation tool that you run directly over the crop

## **CUSTOMIZABLE SET-UPS**

- Add a variety of tools to base cultivator frames to fit your specific farm needs.
- More tools available online

**TINE WEEDER** 



## **BASKET WEEDER**

Use baskets to weed between plant rows



FINGER WEEDER & **TENDER PLANT HOE** 

Cultivate in and between plant rows



#### PATHWAY CULTIVATOR

Till soil the entire span of the pathway width to keep it clean



#### **SPRING HOE WEEDER**

Scrape and bury weeds in the row and right next to



## **SPYDER & TORSION WEEDER**

Throw dirt toward or away from the crop row while eliminating small in-row weeds



# **BCS ADAPTOR**

Many implements found on our site can be connected to BCS or Grillo





# **VERSATILE**

Cultivate, hoe, hill, mow, haul and more - all with a pull of a pin.

# **70 MIN. RUNTIME**

· Work faster for longer with dual rechargeable batteries.

# **BACK SAVING**

• Hand weeding and push wheel hoeing strain muscles. Feel good after a day of weeding!

# MOTOR

**Industrial Grade Brushed Electric Motor** 


# **BATTERY**

DeWalt 20V, Makita 18V, Milwaukee 18V











# **E-OX PACKAGES**

















The 12" width allows you to eliminate many weeds quickly or combine multiple 6" hoes to straddle a row



**FINGER WEEDER** 

Specifically designed for in-row cultivation, the finger weeder uproots small and just emerging weeds



SIDE KNIFE

Uses a left and right sweep that can be oriented in many different weeding or cultivation applications



**PLOW SET** 

- Easily create furrows and hills
- Change hoe orientation to move soil outward or into the row



MINI DISC HARROW

 Cultivate before planting and keep weeds under control



**TINE WEEDER** 

Tine weeders are a very effective blind cultivation tool that you run directly over the crop









## **JANG SEEDERS**

- · Simple, consistent seeding
- Seed rollers easy to change and adjust



## **ROTOVATOR**

· Convenient, quiet, low impact weeding in a high quality, simple design







# MORE EQUIPMENT AVAILABLE FROM TILMOR

















Spread compost, wood chips, sand & other materials



#### UNDERCUTTERS

- Loosens soil for harvesting carrots, garlic, parsnips and other root crops
- 35, 42, 48, 60 inch ready to ship
- Custom sizes available: Contact for more information



# **SWEEPS & S-TINES** Danish S-tine packages and individual sweeps

Vegetable and Standard sweeps from 1 to 16 inches



# **A-BLADES & CULTIVATION KNIVES**

- Large variety of knife sizes and shapes
- From 4 to 10 inches of precise, shallow cultivation







# **FLEX TINES**

Allows independent tool movement for flexibility in uneven or rocky conditions



- Listed from left to right
- Infinite Dibbler creates a grid for marking rows and hole spacing; mount onto a tractor or push by hand
- 30" Tine Weeder Blindly rake over small weeds
- · Rotovator Crumble and Hoe Soil
- Wire Weeder pull roots quickly next to plants



**ELECTRIC PICKING ASSISTANT** 

· Harvest, weed, plant, and prune without bending over





